

## Módulo recto 1000 mm

Linear element 1000 mm / Élément droit 1000 mm

ø	EXOINOX SW 304		EXOINOX SW 316L		L	
	Referencia	€/Ud	Referencia	€/Ud		
120	TI120				1000	6
130			TI130316		1000	6
150	TI150		TI150316		1000	6
180			TI180316		1000	4
200	TI200		TI200316		1000	4
250			TI250316		1000	2
300			TI300316		1000	1



## Módulo recto 500 mm

Linear element 500 mm / Élément droit 500 mm


ø	EXOINOX SW 304		EXOINOX SW 316L		L	
	Referencia	€/Ud	Referencia	€/Ud		
130			TI13050316		500	4
150			TI15050316		500	4
180			TI18050316		500	2
200			TI20050316		500	2
250			TI25050316		500	2
300			TI30050316		500	1



## Módulo extensible 940 mm

940 mm telescopic element / Élément télescopique 940 mm


ø	EXOINOX SW 304		EXOINOX SW 316L		L	
	Referencia	€/Ud	Referencia	€/Ud		
130			TTI130316		560 - 940	1
150			TTI150316		560 - 940	1
180			TTI180316		560 - 940	1
200			TTI200316		560 - 940	1
250			TTI250316		560 - 940	1
300			TTI300316		560 - 940	1



## Módulo inicio anticondensación

Anti-condensation start module / Module de démarrage anti-condensation


ø	EXOINOX SW 304		EXOINOX SW 316L		L	
	Referencia	€/Ud	Referencia	€/Ud		
120	ANTI120				140	1
130			ANTI130		140	1
150			ANTI150		140	1
180			ANTI180		140	1
200			ANTI200		140	1
250			ANTI250		140	1
300			ANTI300		140	1




# EXOINOX SW

## Codo a 30°


30° elbow / Coude 30°


Ø	EXOINOX SW 304		EXOINOX SW 316L		A	B	
	Referencia	€/Ud	Referencia	€/Ud			
120	CIS12030				175	40	4
130			CIS13030316		175	40	4
150	CIS15030		CIS15030316		190	45	4
180			CIS18030316		185	50	2
200	CIS20030		CIS20030316		205	40	2
250			CIS25030316		200	45	1
300			CIS30030316		225	60	1



## Codo a 45°


45° elbow / Coude 45°


Ø	EXOINOX SW 304		EXOINOX SW 316L		A	B	
	Referencia	€/Ud	Referencia	€/Ud			
120	CIS12045				180	65	4
130			CIS13045316		190	65	4
150	CIS15045		CIS15045316		190	75	4
180			CIS18045316		195	75	2
200	CIS20045		CIS20045316		220	65	2
250			CIS25045316		225	85	1
300			CIS30045316		250	95	1



## Codo a 60°


60° elbow / Coude 60°


Ø	EXOINOX SW 304		EXOINOX SW 316L		A	B	
	Referencia	€/Ud	Referencia	€/Ud			
120	CIS12060				190	95	4
130			CIS13060316		190	95	4
150	CIS15060		CIS15060316		205	105	4
180			CIS18060316		225	105	2
200	CIS20060		CIS20060316		245	110	1
250			CIS25060316		260	135	1
300			CIS30060316		270	165	1



## Codo a 90°

90° elbow / Coude 90°


Ø	EXOINOX SW 304		EXOINOX SW 316L		A	B	
	Referencia	€/Ud	Referencia	€/Ud			
120	CIS12090				155	150	4
130			CIS13090316		160	155	4
150	CIS15090		CIS15090316		175	175	4
180			CIS18090316		180	175	2
200	CIS20090		CIS20090316		205	205	1
250			CIS25090316		235	230	1
300			CIS30090316		265	275	1



## Te a 90°

90° T pipe fitting / Raccord á T 90°

Ø	EXOINOX SW 304		EXOINOX SW 316L		A	B	C	
	Referencia	€/Ud	Referencia	€/Ud				
120	TEI12090				255	135	135	1
130			TEI13090316		320	175	160	1
150			TEI15090316		330	175	160	1
180			TEI18090316		375	185	190	1
200			TEI20090316		400	210	200	1
250			TEI25090316		422	200	205	1
300			TEI30090316		480	230	235	1



## Colector

Blind cap / Tampon

Ø	EXOINOX SW 304		EXOINOX SW 316L		L	
	Referencia	€/Ud	Referencia	€/Ud		
120	TAI120				65	1
130			TAI130316		65	1
150			TAI150316		65	1
180			TAI180316		65	1
200			TAI200316		65	1
250			TAI250316		65	1
300			TAI300316		65	1



## Colector con desagüe

Blind cap with drain / Tampon avec drain

Ø	EXOINOX SW 304		EXOINOX SW 316L		L	
	Referencia	€/Ud	Referencia	€/Ud		
130			TAIR130316		65	1
150			TAIR150316		65	1
180			TAIR180316		65	1
200			TAIR200316		65	1
250			TAIR250316		65	1
300			TAIR300316		65	1



## Estabilizador de tiro

Draught stabilizer / Régulateur de tirage


Ø	EXOINOX SW 304		EXOINOX SW 316L		L	
	Referencia	€/Ud	Referencia	€/Ud		
150	ETIRO150				95	1




# EXOINOX SW

## Reducción


Reducer / Réduction


Ø	EXOINOX SW 304		EXOINOX SW 316L		Ø M	Ø H	L	
	Referencia	€/Ud	Referencia	€/Ud				
130 - 120			RI130120316		130	120	190	1
150 - 120			RI150120316		150	120	195	1
150 - 130			RI150130316		150	130	180	1
180 - 150			RI180150316		180	150	200	1
200 - 150			RI200150316		200	150	235	1
200 - 180			RI200180316		200	180	195	1
250 - 200			RI250200316		250	200	250	1
300 - 200			RI300200316		300	200	300	1
300 - 250			RI300250316		300	250	225	1



## Ampliación


Augmentation / Augmentation

Ø	EXOINOX SW 304		EXOINOX SW 316L		Ø M	Ø H	L	
	Referencia	€/Ud	Referencia	€/Ud				
120 - 130			AIE120130316		120	130	180	1
120 - 150			AIE120150316		120	150	190	1
130 - 150			AIE130150316		130	150	180	1
150 - 180			AIE150180316		150	180	200	1
150 - 200			AIE150200316		150	200	230	1
180 - 200			AIE180200316		180	200	186	1
200 - 250			AIE200250316		200	250	225	1
200 - 300			AIE200300316		200	300	295	1
250 - 300			AIE250300316		250	300	250	1



## Manguito unión M-M


Muff male-male / Manchon mâle-mâle

Ø	EXOINOX SW 304		EXOINOX SW 316L		L	
	Referencia	€/Ud	Referencia	€/Ud		
120	MI120				105	1
130			MI130316		105	1
150			MI150316		105	1
180			MI180316		105	1
200			MI200316		105	1
250			MI250316		105	1
300			MI300316		105	1



## Manguito unión H-H

Muff female-female / Manchon femelle-femelle


Ø	EXOINOX SW 304		EXOINOX SW 316L		L	
	Referencia	€/Ud	Referencia	€/Ud		
120	MIH120				138	1
130			MIH130316		138	1
150			MIH150316		138	1
180			MIH180316		138	1
200			MIH200316		138	1
250			MIH250316		138	1
300			MIH300316		138	1



## Collarín antilluvia

Collar / Colleterete de solin


Ø	EXOINOX SW 304		EXOINOX SW 316L		L	ØA	
	Referencia	€/Ud	Referencia	€/Ud			
120	COA120				150	250	1
130	COA130				150	255	1
150	COA150				145	275	1
180	COA180				140	315	1
200	COA200				145	335	1
250	COA250				145	385	1
300	COA300				145	435	1



## Plafón

Ring / Rosace

Ø	EXOINOX SW 304		EXOINOX SW 316L		ØA	
	Referencia	€/Ud	Referencia	€/Ud		
120	PI120				193	10
150	PI150				220	10
200	PI200				285	10



## Rosetón silicona

Silicon rosette / Rosette silicone


Ø	EXOINOX SW 304		EXOINOX SW 316L		
	Referencia	€/Ud	Referencia	€/Ud	
120	ROSB120				1
130	ROSB130				1
150	ROSB150				1



## Embellecedor plano


Flat bezel / Lunette plate


Ø	EXOINOX SW 304		EXOINOX SW 316L		
	Referencia	€/Ud	Referencia	€/Ud	
130	PPI130				1
150	PPI150				1
180	PPI180				1
200	PPI200				1
250	PPI250				1
300	PPI300				1



## SopORTE mural de atornillar


Support pipe clip / Collier soutien tuyaux


Ø	EXOINOX SW 304		EXOINOX SW 316L		A	
	Referencia	€/Ud	Referencia	€/Ud		
120	ABIMA120				120	1
130	ABIMA130				130	1
150	ABIMA150				125	1
180	ABIMA180				160	1
200	ABIMA200				160	1
250	ABIMA250				200	1
300	ABIMA300				195	1



## SopORTE M-8


Support pipe clip / Collier soutien tuyaux


Ø	EXOINOX SW 304		EXOINOX SW 316L		
	Referencia	€/Ud	Referencia	€/Ud	
120	ABIM8120				1
130	ABIM8130				1
150	ABIM8150				1
180	ABIM8180				1
200	ABIM8200				1
250	ABIM8250				1
300	ABIM8300				1



## Abrazadera de unión


Lockin clamp / Bride de securité


Ø	EXOINOX SW 304		EXOINOX SW 316L		
	Referencia	€/Ud	Referencia	€/Ud	
120	ABIU120				1
130	ABIU130				1
150	ABIU150				1
180	ABIU180				1
200	ABIU200				1
250	ABIU250				1
300	ABIU300				1



## Abrazadera de vientos

Lockin clamp / Bride de securité


Ø	EXOINOX SW 304		EXOINOX SW 316L		ØA	
	Referencia	€/Ud	Referencia	€/Ud		
120	ABIV120				157	1
130	ABIV130				167	1
150	ABIV150				187	1
180	ABIV180				217	1
200	ABIV200				237	1
250	ABIV250				287	1
300	ABIV300				337	1



## Soporte forjado

Joist support / Support au toit


Ø	EXOINOX SW 304		EXOINOX SW 316L		L	A	
	Referencia	€/Ud	Referencia	€/Ud			
130	SFI130				530	410	1
150	SFI150				550	430	1
180	SFI180				580	460	1
200	SFI200				600	480	1
250	SFI250				650	530	1
300	SFI300				700	580	1



## Terminal chino

Rain ending parts / Chapeau chinois

Ø	EXOINOX SW 304		EXOINOX SW 316L		A	ØB	
	Referencia	€/Ud	Referencia	€/Ud			
120	SI120				220	250	1
130	SI130				230	250	1
150	SI150				225	300	1
180	SI180				290	330	1
200	SI200				290	380	1
250	SI250				340	450	1
300	SI300				370	520	1



## Terminal antirrevocante

Windproof ending parts / Chapeau anti-vent


Ø	EXOINOX SW 304		EXOINOX SW 316L		A	ØB	
	Referencia	€/Ud	Referencia	€/Ud			
120	AI120				255	220	1
130	AI130				250	255	1
150	AI150				305	270	1
180	AI180				300	295	1
200	AI200				330	330	1
250	AI250				335	380	1
300	AI300				335	450	1



## Terminal extractor

Aeolian ending part / Chapeau éolien

Ø	EXOINOX SW 304		EXOINOX SW 316L		A	ØB	
	Referencia	€/Ud	Referencia	€/Ud			
120	EI120				350	200	1
130	EI130				350	200	1
150	EI150				350	210	1
180	EI180				350	230	1
200	EI200				380	270	1
250	EI250				410	320	1
300	EI300				420	355	1




## EXOINOX SW

### Cubreaguas plomo de 5°/30°

5°/30° lead water cover / Solin plomb 5°/30°

Ø	EXOINOX SW 304		EXOINOX SW 316L		L	A	
	Referencia	€/Ud	Referencia	€/Ud			
130	CUI13030				600	175	1
150	CUI15030				600	190	1
180	CUI18030				800	235	1
200	CUI20030				800	235	1
250	CUI25030				800	255	1
300	CUI30030				1000	300	1



### Cubreaguas plomo de 30°/45°

30°/45° lead water cover / Solin plomb 30°/45°

Ø	EXOINOX SW 304		EXOINOX SW 316L		L	A	
	Referencia	€/Ud	Referencia	€/Ud			
130	CUI13045				800	270	1
150	CUI15045				830	285	1
180	CUI18045				800	310	1
200	CUI20045				800	325	1
250	CUI25045				1000	375	1
300	CUI30045				1000	405	1



### Junta de silicona H12

H12 silicon gasket / Joint silicone H12

Ø	EXOINOX SW 304		EXOINOX SW 316L		
	Referencia	€/Ud	Referencia	€/Ud	
120	PVJS120				1
130	PVJS130				1
150	PVJS150				1
180	PVJS180				1
200	PVJS200				1
250	PVJS250				1
300	PVJS300				1

