

Módulo recto 1000 mm

linear element 1000 mm / élément droit 1000 mm

∅	Referencia	€/Ud	L	
120	TVM120		1000	6
125	TVM125		1000	6
130	TVM130		1000	6
150	TVM150		1000	4
180	TVM180		1000	2
200	TVM200		1000	2



Módulo recto 500 mm

linear element 500 mm / élément droit 500 mm

∅	Referencia	€/Ud	L	
120	TVM12050		500	4
125	TVM12550		500	4
130	TVM13050		500	4
150	TVM15050		500	4
180	TVM18050		500	4
200	TVM20050		500	4



Módulo recto 250 mm

linear element 250 mm / élément droit 250 mm

∅	Referencia	€/Ud	L	
120	TVM12025		250	4
125	TVM12525		250	4
130	TVM13025		250	4
150	TVM15025		250	4
180	TVM18025		250	4
200	TVM20025		250	1




Módulo recto 330 mm con regulador

Linear element 330 mm with regulator

Elément droit 330 mm avec régulateur


∅	Referencia	€/Ud	L	
120	TVM12033L		330	6
125	TVM12533L		330	6
130	TVM13033L		330	5
150	TVM15033L		330	4
180	TVM18033L		330	5
200	TVM20033L		330	4




EXOLEÑA PREMIUM

Módulo recto 1000 mm con inspección


linear element 1000 mm with registration
Elément droit 1000 mm avec enregistrement

∅	Referencia	€/Ud	L	
120	TVM120R		1000	6
125	TVM125R		1000	6
130	TVM130R		1000	6
150	TVM150R		1000	6
180	TVM180R		1000	6
200	TVM200R		1000	4



Modulo inicio anticondensación


Anti-condensation start module / Module de démarrage anti-condensation


∅	Referencia	€/Ud	L	
120	ANTIVM120		142	1
125	ANTIVM125		142	1
130	ANTIVM130		142	1
150	ANTIVM150		142	1
180	ANTIVM180		142	1
200	ANTIVM200		142	1



Modulo extensible 330 mm


330 mm telescopic element / Elément télescopique 330 mm


∅	Referencia	€/Ud	L	
120	DEV120		330	6
125	DEV125		330	6
130	DEV130		330	5
150	DEV150		330	4
180	DEV180		330	1
200	DEV200		330	1



Ampliación

Augmentation / Augmentation


∅	Referencia	€/ud	∅ M	∅ H	L	
120 - 150	AVME120150		120	150	140	1
125 - 150	AVME125150		125	150	140	1
130 - 150	AVME130150		130	150	240	1
150 - 180	AVME150180		150	180	255	1
150 - 200	AVME150200		150	200	140	1
180 - 200	AVME180200		180	200	245	1



Codo a 30°

30° Elbow / Coude 30°


∅	Referencia	€/Ud	A	B	
120	CVMS12030		200	45	4
125	CVMS12530		195	50	4
130	CVMS13030		200	52	4
150	CVMS15030		215	55	4
180	CVMS18030		215	60	2
200	CVMS20030		230	60	2



Codo a 45°

45° Elbow / Coude 45°


∅	Referencia	€/Ud	A	B	
120	CVMS12045		200	75	4
125	CVMS12545		210	80	4
130	CVMS13045		205	80	4
150	CVMS15045		205	80	4
180	CVMS18045		205	90	2
200	CVMS20045		220	100	2



Codo a 45° con inspección

45° bend with registration / Coude 45° avec enregistrement


∅	Referencia	€/Ud	A	B	
120	CVMS12045R		285	75	4
125	CVMS12545R		285	80	4
130	CVMS13045R		295	80	4
150	CVMS15045R		300	80	4
180	CVMS18045R		290	95	1
200	CVMS20045R		330	90	1



Codo a 90°

90° elbow / Coude 90°

∅	Referencia	€/Ud	A	B	
120	CVMS12090		195	175	4
125	CVMS12590		195	175	4
130	CVMS13090		195	180	4
150	CVMS15090		200	185	4
180	CVMS18090		215	210	2
200	CVMS20090		230	220	1





EXOLEÑA PREMIUM

Codo a 90° con inspección

90° bend with registration


Coude 90° avéc enregistrement


∅	Referencia	€/Ud	A	B	
120	CVMS12090R		185	175	4
125	CVMS12590R		195	180	4
130	CVMS13090R		195	180	4
150	CVMS15090R		200	185	4
180	CVMS18090R		220	205	2
200	CVMS20090R		235	215	1



Codo a 45° con desviación


Offset 45° / 45° Contre-coude


∅	Referencia	€/Ud	A	B	
120	CVMS12045D		555	95	4
125	CVMS12545D		555	95	4
130	CVMS13045D		555	95	4
150	CVMS15045D		555	95	4
180	CVMS18045D		555	95	2
200	CVMS20045D		555	95	2



Codo a 45° con desviación extensible


Telescopic offset 45° / 45° Contre-coude télescopique


∅	Referencia	€/Ud	A	B	
120	CVMS12045DR		445	95	4
125	CVMS12545DR		445	95	4
130	CVMS13045DR		445	95	4
150	CVMS15045DR		445	95	4
180	CVMS18045DR		445	95	2
200	CVMS20045DR		445	95	2



Te a 90°

90° T pipe fitting / Raccord á T 90°

∅	Referencia	€/Ud	A	B	C	
120	TEVM12090		302	165	155	3
125	TEVM12590		321	165	165	3
130	TEVM13090		332	170	170	3
150	TEVM15090		335	175	170	2
180	TEVM18090		390	190	200	2
200	TEVM20090		400	205	205	2



Colector

Blind cap / Tampon

∅	Referencia	€/Ud	A	
120	TAVM120		60	1
125	TAVM125		60	1
130	TAVM130		60	1
150	TAVM150		60	1
180	TAVM180		60	1
200	TAVM200		60	1



Estabilizador de tiro

Draught stabilizer / Régulateur de tirage


∅	Referencia	€/Ud	L	
150	ETIRO150		95	1



Soporte mural de atornillar

Support pipe clip / Collier soutien tuyaux

∅	Referencia	€/Ud	A	
120	ABVMA120		120	1
125	ABVMA125		120	1
130	ABVMA130		130	1
150	ABVMA150		125	1
180	ABVMA180		160	1
200	ABVMA200		160	1




Colocación mínima a 150 cm de la salida de humos.

Manguito unión M-M

Muff male-male / Manchon mâle-mâle

∅	Referencia	€/Ud	L	
120	MVM120		130	1
125	MVM125		130	1
130	MVM130		130	1
150	MVM150		130	1
180	MVM180		130	1
200	MVM200		130	1





EXOLEÑA PREMIUM

Manguito unión H-H

Muff female-female


Manchon femelle-femelle


∅	Referencia	€/Ud	L	
120	MVMH120		140	1
125	MVMH125		140	1
130	MVMH130		140	1
150	MVMH150		140	1
180	MVMH180		140	1
200	MVMH200		140	1



Plafón


Ring / Rosace


∅	Referencia	€/Ud	∅A	
120	PM120		193	10
125	PM125		190	10
130	PM130		192	10
150	PM150		220	10
180	PM180		250	10
200	PM200		285	10



Terminal chino*

Rain ending parts / Chapeau chinois


∅	Referencia	€/Ud	A	∅B	
120	SVM120		230	255	1
125	SVM125		220	250	10
130	SVM130		235	255	10
150	SVM150		230	300	10
180	SVM180		300	330	10
200	SVM200		305	380	10




* Lacado

Terminal antirrevocante*

Windproof ending parts / Chapeau anti-vent

∅	Referencia	€/Ud	A	∅B	
120	AVM120		260	225	1
125	AVM125		250	245	1
130	AVM130		250	255	1
150	AVM150		305	270	1
180	AVM180		300	295	1
200	AVM200		295	335	1



* Lacado